

## ***TENDER DETAILS***

**Tender No** : 14511  
**Tender Ref No** : Addl.DHA(M&TB)/SDMC/2015/Furniture-items  
**Tender Ref Date** : 08/05/2015  
**Department** : Addl.DHA (M&TB) SDMC  
**Officer Name** : pkdashn  
**Designation** : Addl. Director Hospital Administration

## ***Tender Notice***

SOUTH DELHI MUNICIPAL CORPORATION OFFICE OF ADDL. D.H.A. (MED. & TB), 18th FLOOR, DR. SPM CIVIC CENTRE, JLN MARG, NEW DELHI - 110002, Ph. No. 23226824, 23226826

Tender for procurement of Office/Hospital furniture items for newly constructed Poornima Sethi Multispecialty Hospital, Kalkaji, New Delhi

Terms and Conditions:-

1. Firm is requested to submit the following documents duly signed and stamped.
  - A).S.T. Registration copy/VAT Registration/Clearance Certificate (latest)
  - B). PAN/Income Tax Clearance Certificate.
  - C). Forwarding letter that the above conditions are acceptable to the firm on letterhead. Authority letter of manufacture must be enclosed.
  - E). Firm should submit documentary evidence along with the tender form regarding sufficient services network of after sales services at Delhi if applicable.
  - F). Receipt of deposited tender cost and EMD.
2. Tender should be accompanied by earnest money as specified in the tender in the form of demand draft. Cost of Tender and Earnest Money both can be deposited through separate Bank drafts in favour of Commissioner, SDMC. No cash or cheque is acceptable.
3. No tender will be accepted without earnest money.
4. No previous earnest money will be adjusted.
5. Multiple offers will not be accepted.
6. Only manufacturer or Authorized distributor of manufacturer can apply.
7. Authorised distributor will have to produce latest authority letter from the manufacturer for all items for which it is participating in the tender and authorization certificate from the manufacturer, entering into contract with SDMC for supply

and commitment. 8. Tender received after the due date will be rejected. 9. Rates should be clearly written according to our serial number. Rates quoted should be before destination, ie Medical store PSMH Kalkaji. 10. Rates quoted should be final and no increase in rates will be allowed during the supply period. 11. The rates should be quoted both in words and figures. No firm will be eligible to withdraw after the submission of the quotation/tender or its rates have been accepted otherwise, in such case EMD will be forfeited. 12. The items quoted should be available in stock. If not the minimum period required for the supply should be clearly mentioned. 13. The technical bid will contain a technical compliance report for each item to be submitted by the firm. 14. The quoted net rate will be treated as firm offer and must remain valid for supply for the period of the contract. However percentage of VAT/ tax etc. should be clearly mentioned in the compliance report Performa. 15. The supply has to be made within for weeks from the issue of supply order. In case of delay in supply penalty @ 1.25% of the quoted price, per week, up to maximum of 5% can be imposed on the supplier. 16. In case of failure to supply within the stipulated period, the purchase will be made at the risk and cost of the defaulting supplier without any further notice. The extra expenditure incurred over and above the approved rates, if any, will be recovered from the defaulting firm from his earnest money/security money, pending bills and the firm can be blacklisted. 17. Demo of the items will be required to be made by the firm at a suitable place within the jurisdiction of Delhi. The arrangement for such demonstration and cost if any till be arranged and borne by the firm. 18. A contract agreement has to be signed by the successful bidder on a non judicial stamp paper of Rs. 100/- (copy of the agreement is attached). 19. Director Hospital administration reserves the right to accept or reject any or all quotation without assigning any reason and also reserve the right to cancel the tender partially or totally. 20. All the supplies will be subject to the pre dispatch approval/approval of the Purchase Board. Right of approval/rejection reserved with the Addl. DHA (M&TB) The firm shall have to remove the rejected material from this department within three days of the intimation at his own cost. 21. Final Payment will be made by bill system after receiving the supply and approval by the board. 22. All Payment will be made in Indian Rupees only. 23. For any disputes decision of DHA SDMC is final. All disputes related to this tenders shall be subject to the territorial jurisdiction of Delhi court only. 24. The offer will be valid for a minimum period of 120 days. 25. Tenderer must be either a manufacture of the item or authorized supplier and must furnish a certificate to this effect along with tender documents (Techno Commercial Bid). 26. The firm should give warranty for a minimum period of one year from date of supply of the item. 27. The firm will do installation free of cost, wherever applicable. 28. In the event of tender being accepted, tenderers will have to furnish Security deposit @ 5% of the estimated value of supply orders in the form of FDR. This should be pledged in the name of Commissioner, South Delhi Municipal Corporation. 29. When the contract ceases the pledge will be cancelled and security will be returned to the contract. The security shall stand forfeited in the event of breach of any of the terms of contract by the contractor. 30. Any contravention to the above terms and condition is liable for rejection of the quotation/tender. 31. Full specification of each item must be given while tendering rates & supported by Sample/Catalogue (if any), exact amount of central excise, packing & forwarding Charges, sale

tax, octroi etc may be mentioned separately. 32. No firms will be eligible to withdraw after its rates or/after the submission of the quotation/tender otherwise earnest money will be forfeited. Rates will be valid for the financial year. 33. Any contradiction to the above, terms & condition, the bid is liable for rejection. 34. Penalty clause for maximum up-to 5% of the total cost of the order may be imposed on the firm, on non-execution of the supply as scheduled. 35. Supply will be received in the Store premises of PSMH Kalkaji and no cartage/transportation charges will be given for it. 36. Multiple offers will not be accepted. 37. No conditional offer/quotation will be accepted. 38. In case the opening date is declared as holiday, the tender will be opened on next working day at same place and same time. 39. Detail of specification and eligibility criterias are available on <http://mcdtenders.com>. 40. Performance security @ 5% in shape of FDR should be submitted in the office of the Addl. DHA (M&TB), 18th floor, SPM Civic Centre, Minto Road, Delhi-110002 on approval of the bid for award. Failure to provide performance security may lead to forfeiture of EMD and cancellation award.

Dr. P.K. Dash Addl. D.H.A. (M&TB)

## **Tender Schedule**

<b>Seq No</b>	<b>Health Dept. Stage</b>	<b>Contractor Stage</b>	<b>Start Date &amp; Time</b>	<b>Expiry Date &amp; Time</b>
1	Release Tender		19/05/2015 10:00	22/05/2015 17:00
2		Purchase and DownLoad Tender Document	23/05/2015 10:00	11/06/2015 15:00
3		Online Bid Preparation and Hash Submission	23/05/2015 10:00	12/06/2015 13:00
4	Technical and Financial Lock		12/06/2015 13:01	12/06/2015 18:00
5		Re-encryption of online bids	12/06/2015 18:01	15/06/2015 12:00
6	Technical Bid Opening		15/06/2015 12:01	16/06/2015 17:00
7	Evaluation of Technical Bid		16/06/2015 17:01	23/06/2015 17:00
8	Financial Bid Opening		24/06/2015 10:00	24/06/2015 17:00
9	Evaluation of Financial Bid		25/06/2015 10:00	26/06/2015 17:00
10	Award of Contract		29/06/2015 10:00	29/06/2015 17:00

**Page No** : 1

**Document For Goods /equipments / Hospital Furniture etc:**

**Document For Goods /equipments / Hospital Furniture etc**

**Page No** : 2

**General terms and Conditions:**

**General terms and Conditions**

**Page No** : 3

**Tender Information::**

**Tender Information:**

**General Terms and Condition**

**Tender Specific Terms and Condition**

**Other Formats to be downloaded**

**Page No :1**

**Attach Standard Forms**

**Attach Standard Forms:**

**Page No :2**

**Authority letter**

**Authority letter**

**Technical forms:**

**Page No :3**

**Authority letter**

**Authority letter**

**Experience Certificate:**

**Page No :4**

**Complete Address of Authorization Agency**

<b>Address of Authorization Agency</b>	<b>Contact No.</b>	<b>Email Id</b>

**Page No :5**

**Complete Address of the Firm**

<b>Address of the Firm</b>	<b>Contact No.</b>	<b>Email ID</b>

**Page No :6**

**Document to be Given by Contractor ( Part I )**

**Income Tax Registration / PAN / TAN Document:**

**Sales Tax and VAT Clearance Certificate:**

**Drug License:**

**Performance Certificate:**

**G.M.P Certificate:**

**Authorization Letter from the Principal Manufacturer:**

**Certificate of Annual Turnover for the Last three Years:**

**Registration with NSIC / DGS & D / DHS / Defense etc:**

**Non-Conviction Certificate:**

**Certificate of no Blacklisting / Debarred:**

**Sample Receipt:**

**Certificate of Quality Control:**

**Detail of Product / Project / Consultancy:**

**Installed Capacity:**

**Test Report of Sample wherever applicable:**



**Page No :7**

**Document to be Given by the Contractor ( Part II )**

**Forwarding Letter of the Firm:**

**Any Other Conditions:**

**Page No :8**

**Financial Bid**

**Financial Bid:**

**Page No :9**

**Technical forms**

**Technical forms:**

**Page No :10**

**VAT Registration No. / Service Tax No.**

<b>VAT Registration No. / Service Tax No.</b>

**Page No :11**

**Authority letter**

**Authority letter**

**Authority letter:**

**Page No :12**

**Check List for Technical Specifications (IT)**

**Check List for Technical Speci**

<b>Item</b>	<b>Specification</b>	<b>YES / NO</b>	<b>Remark</b>
Processor	Intel Celeron M 1.3 GHz		
Chipset	Intel 855GM chipset		
Memory	256 MB DD RAM		
L2 Cache	512 KB		
Hard Disk Drive	40 GB		
Optical Drive	DVD- CDRW Combo		
Floppy Disk Drive	External USB or Multibay 1.44		
Display Size inches	15 TFT		
Audio	Secure digital (SD) slot - USB		
Power Backup	8-cell Lithium-Ion battery (ap		
Communication	56K (V.92) modem, integrated 1		
Wireless support	integrated Intel PRO/Wireless		
Carry Bag	Executive carrying case		
Warranty , Weight	3 years , Below 3Kg		
Other Softwares	Drivers, utilities etc		

\* Fields are Mandatory

**Page No :13**

**Experience Certificate**

**Experience Certificate**

**Experience Certificate:**

## Tender Works

Sr No	Group Id	Work Ref No	Work Description
1		Item No. 1, Visitors chair	Item No. 1, Visitors chair with arms, Full Specification of the item - The seat is made of moulded Polyurethane foam and 1.2cm, thick recycled composite board upholstered with replaceable fabric cover. The back is made of MS tublar frame moulded with polyurethane foam and upholstered with fabric cover, back size 45.0 cm.(W)x 47.0cm (H) Seat size-45.0cm (W) x50.0cm (D). The armrest has two piece construction and is mounted on the tublar frame structure, the understructure is powder coated tublar frame structure made up of 4.4x1.85x0.25cm thick tube. , Rate quoted should be inclusive of all taxes/VAT.'
2		Item No. 16, Footstep, Fu	Item No. 16, Footstep, Full Specification of the item - Patient footstep made out of powder coiated angle frame with two steps, Rate quoted should be inclusive of all taxes/VAT.'

3		Item No. 17, Patients scr	Item No. 17, Patients screen with curtains, Full Specification of the item - Patient curtain screen folder 25mm round pipe powder coated with plastic caster and good quality fabric use in curtains, Rate quoted should be inclusive of all taxes/VAT.'
---	--	---------------------------	--

4		Item No. 2, Revolving cha	<p>Item No. 2, Revolving chair mid back, Full Specification of the item - The seat/ back are made up of 1.2 cm thick hot pressed plywood and upholstered with fabric and moulded Polyurethane foam together with molded seat and back covers.</p> <p>MID BACK SIZE 50.0cm.(W) x49.0cm. (H) SEAT SIZE 50.0cm. (W) x46.5cm. (D) The HR Polyurethane foam os moulded. The seat and back covers are moulded. Armrest made of back intergral skin Polyurethane . The chair has mechanism 360 degree revolving type and till tension adjustment. The twin wheel castors are moulded in Black nylon., Rate quoted should be inclusive of all taxes/VAT.'</p>
---	--	---------------------------	---

5		Item No. 20, Book shelf,	Item No. 20, Book shelf, Full Specification of the item - Overall size 914mm (W) x320mm (D) x1742mm(H) rigid construction with prime quality steel- Top,back and side are made from minimum 0.7mm thick metal sheet. Rest in minimum 0.8 mm metal sheet. Configuration (Doors): 4 door features/Locking: Each door has 6 lever cam lock with common key. Each door has 6 lever inside vision secured in a metal Frame through rubber gasket each compartment has stroage shelf-Top Panel:4 Door has inside Metal., Rate quoted should be inclusive of all taxes/VAT.'
6		Item No. 21, Trolley, Ful	Item No. 21, Trolley, Full Specification of the item - Patient stretcher trolley made out of 30mm round pipe powder coated with 20mm two supporting round pipe and rubber caster and aluminium seat with round pipe stretch, Rate quoted should be inclusive of all taxes/VAT.'

7		Item No. 22, Injection trolley	Item No. 22, Injection trolley, Full Specification of the item - Powder coated 2ft (W)x3ft long with four wheels and two drawers with ss top, Rate quoted should be inclusive of all taxes/VAT.'
8		Item No. 23, Patient bed(	Item No. 23, Patient bed , Full Specification of the item - Fowler bed 6x3 long with powder coated with electric leaf from head side with side railing., Rate quoted should be inclusive of all taxes/VAT.'
9		Item No. 24, Filing drawer	Item No. 24, Filing drawer/cabinet, Full Specification of the item - Filing cabinet made out of steel filling cabinet with plastic handle back,top, bottom covered with 1.8mm thick metal sheet lock mechanism shall be of 1.6 size 3 drawer normal finish size 108x470x700mm, Rate quoted should be inclusive of all taxes/VAT.'



10		Item No. 3, Revolving cha	<p>Item No. 3, Revolving chair high back, Full Specification of the item - The seat/ back are made up of 1.2 cm thick hot pressed plywood and upholstered with fabric and moulded Polyurethane foam together with molded seat and back covers. MID BACK SIZE 50.0cm.(W) x72.0cm. (H) SEAT SIZE 50.0cm. (W) x46.5cm. (D) The HR Polyurethane foam os moulded. The seat and back covers are moulded. Armrest made of back intergral skin Polyurethane . The chair has mechanism 360 degree revolving type and till tension adjustment. The twin wheel castors are moulded in Black nylon., Rate quoted should be inclusive of all taxes/VAT.'</p>
----	--	---------------------------	---

11		Item No. 4, Steel Almirah	Item No. 4, Steel Almirah big, Full Specification of the item - The overall size of the storage shall be 916mm (W) x486mm (D) 1980mm (H). The construction shall be welded with minimum 0.7mm thick CRCA for shelf and minimum 0.8mm thick for back. The door shall be made of 0.8mm thick CRCA and all other metal component shall be made of 0.9mm thick CRCA. The locking and handle of the storage shall be in steel with three way locking mechanism. The shelving shall be height adjustable and shall have a load capacity of 40 kg. The product shall be powder coated to the thickness of 50 microns., Rate quoted should be inclusive of all taxes/VAT.'
----	--	---------------------------	--

12		Item No. 5, Steel Almirah	Item No. 5, Steel Almirah small, Full Specification of the item - The overall size of the storage shall be 760mm (W) x486mm (D) 1280mm (H). The construction shall be welded with minimum 0.7mm thick CRCA for shelf and minimum 0.8mm thick for back. The door shall be made of 0.8mm thick CRCA and all other metal component shall be made of 0.9mm thick CRCA. The locking and handle of the storage shall be in steel with three way locking mechanism. The shelving shall be height adjustable and shall have a load capacity of 40 kg. The product shall be powder coated to the thickness of 50 microns., Rate quoted should be inclusive of all taxes/VAT.'
----	--	---------------------------	--

13		Item No. 7, Executive table	Item No. 7, Executive table, Full Specification of the item - Overall size 1345Wx760Dx735H (mm).Table top made up of 18mm thick prelaminated board with 2mm thick lapping on the edges. Understructure made up of square cube of size 30x30x1.6 (mm) thick.Side, front and back panel made up of 18mm prelaminated twin board. Table includes pedestal made up of prelaminated panel and MS sheet Overall size. 439Wx729Dx536H (mm), Rate quoted should be inclusive of all taxes/VAT.'
14		Item No. 8, Multiseater bench	Item No. 8, Multiseater bench, Full Specification of the item - Waiting three seater chair of size 760x790x1860mm, structure made out of MS chrome plated with arm & legs and perforated seat & back. Rate quoted should be inclusive of all taxes/VAT.'

15		Item No. 9, Revolving stool	Item No. 9, Revolving stool, Full Specification of the item - Steel revolving type stool chromium plated/powder coated steel top of 15' diameter around pipe of 18 g with support base adjustable type height 483mm(19'), Rate quoted should be inclusive of all taxes/VAT.'
16		Item No. 10, Racks, Full S	Item No. 10, Racks, Full Specification of the item - Closed type shelving rack made out of angel 40x40x2mm shelves0.8mm gussets of 1mm thickness size 36'x18' three side cover with five compartments , Rate quoted should be inclusive of all taxes/VAT.

17		Item No. 11, Computer tabl	Item No. 11, Computer table, Full Specification of the item - Computer table top made of 18mm thick prelaminated particle board duly edge banded having sliding keyboard running running over sliding channel, one box for ups proper locking arrangement & other side 3 drawer unit 48'x24'x30' with wheel arrangement, Rate quoted should be inclusive of all taxes/VAT.
18		Item No. 12, Lockers(8 cu	Item No. 12, Lockers(8 cubes), Full Specification of the item - personal locker body made of 22 gauge and door made of 20 gauge provided with 6 lever lock, size 455x455x430(mm), Rate quoted should be inclusive of all taxes/VAT.'
19		Item No. 13, Patient exami	Item No. 13, Patient examination Table, Full Specification of the item - Patient examination table made out of 30mm round pipe powder coated and 40mm cushion with rexine cover., Rate quoted should be inclusive of all taxes/VAT.

20		Item No. 14, Palletes for	Item No. 14, Palletes for store , Full Specification of the item - Size 3ftx2ft made up of Moulded plastic, Rate quoted should be inclusive of all taxes/VAT.'
21		Item No. 15, Steel ladder,	Item No. 15, Steel ladder, Full Specification of the item - Aluminium ladder of 6ft (H) with collapsible two legs with five steps each and top soild platform of size 1.5ftx1.5ft , Rate quoted should be inclusive of all taxes/VAT.
22		Item No. 18, Stretcher (sid	Item No. 18, Stretcher (side adjustable), Full Specification of the item - Pipe frame covered with thick metal sheet with handles on both sides,size6ftx3ft long, Rate quoted should be inclusive of all taxes/VAT.

23		Item No. 19, Wheel chair,	Item No. 19, Wheel chair, Full Specification of the item - Wheel chair made up of frame 30mm of round pipe ss with two small wheels in front legs side and two main big wheel folding systems with brakers made out of steel and cushioned sheet., Rate quoted should be inclusive of all taxes/VAT.
24		Item No. 6, Office Steel t	Item No. 6, Office Steel table, mica top, drawers one side, Full Specification of the item - Table of size 1300Wx700Dx750H (mm).Made up of 18mm prelaminated board duly sealed with 2mm PVC beading on all sides. Undertstructure made up of frame with MS sheet of 0.9mm thick,tubular frame of round tube of Dia 25.4mm and 1.2mm thick, Modesty panel made up of 1mm thick sheet. storage made up of three drawers unit with 0.5mm thick CRCA MS sheet of overall., Rate quoted should be inclusive of all taxes/VAT.



## Bill Of Quantities (BOQ)

Item Ref.No:'Item No. 1, Visitors chai

Item Type:Item Rate

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 1, Visitors chair with arms, Full Specification of the item - The seat is made of moulded Polyurethane foam and 1.2cm, thick recycled composite board upholstered with replaceable fabric cover. The back is made of MS tublar frame moulded with polyurethane foam and upholstered with fabric cover, back size 45.0 cm.(W)x 47.0cm (H) Seat size-45.0cm (W) x50.0cm (D). The armrest has two piece construction and is mounted on the tublar frame structure, the understructure is powder coated tublar frame structure made up of 4.4x1.85x0.25cm thick tube. , Rate quoted should be inclusive of all taxes/VAT.'	52	Each			

Item Ref.No:'Item No. 2, Revolving cha

Item Type:Item Rate

Tender No: 14511

25 Of 40

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 2, Revolving chair mid back, Full Specification of the item - The seat/ back are made up of 1.2 cm thick hot pressed plywood and upholstered with fabric and moulded Polyurethane foam together with molded seat and back covers. MID BACK SIZE 50.0cm.(W) x49.0cm. (H) SEAT SIZE 50.0cm. (W) x46.5cm. (D) The HR Polyurethane foam os moulded. The seat and back covers are moulded. Armrest made of back intergral skin Polyurethane . The chair has mechanism 360 degree revolving type and till tension adjustment. The twin wheel castors are moulded in Black nylon., Rate quoted should be inclusive of all taxes/VAT.'	9	Each			

Item Ref.No:'Item No. 3, Revolving cha

Item Type:Item Rate

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

Tender No: 14511

26 Of 40

1		-	'Item No. 3, Revolving chair high back, Full Specification of the item - The seat/ back are made up of 1.2 cm thick hot pressed plywood and upholstered with fabric and moulded Polyurethane foam together with molded seat and back covers. MID BACK SIZE 50.0cm.(W) x72.0cm. (H) SEAT SIZE 50.0cm. (W) x46.5cm. (D) The HR Polyurethane foam os moulded. The seat and back covers are moulded. Armrest made of back intergral skin Polyurethane . The chair has mechanism 360 degree revolving type and till tension adjustment. The twin wheel castors are moulded in Black nylon., Rate quoted should be inclusive of all taxes/VAT.'	16	Each			
---	--	---	---	----	------	--	--	--

**Item Ref.No:'Item No. 4, Steel Almirah**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	'Item No. 4, Steel Almirah big, Full Specification of the item - The overall size of the storage shall be 916mm (W) x486mm (D) 1980mm (H). The construction shall be welded with minimum 0.7mm thick CRCA for shelf and minimum 0.8mm thick for back. The door shall be made of 0.8mm thick CRCA and all other metal compotent shall be made of 0.9mm thick CRCA. The locking and handle of the storage shall be in steel with three way locking mechanism. The shelving shall be height adjustable and shall have a load capacity of 40 kg. The product shall be powder coated to the thickness of 50 microns., Rate quoted should be inclusive of all taxes/VAT.'	24	Each			
---	--	---	---	----	------	--	--	--

**Item Ref.No:'Item No. 5, Steel Almirah**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	Item No. 5, Steel Almirah small, Full Specification of the item - The overall size of the storage shall be 760mm (W) x486mm (D) 1280mm (H). The construction shall be welded with minimum 0.7mm thick CRCA for shelf and minimum 0.8mm thick for back. The door shall be made of 0.8mm thick CRCA and all other metal component shall be made of 0.9mm thick CRCA. The locking and handle of the storage shall be in steel with three way locking mechanism. The shelving shall be height adjustable and shall have a load capacity of 40 kg. The product shall be powder coated to the thickness of 50 microns., Rate quoted should be inclusive of all taxes/VAT.	14	Each			
---	--	---	---	----	------	--	--	--

**Item Ref.No:Item No. 6, Office Steel t**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	<p>Item No. 6, Office Steel table, mica top, drawers one side, Full Specification of the item - Table of size 1300Wx700Dx750H (mm).Made up of 18mm prelaminated board duly sealed with 2mm PVC beading on all sides.</p> <p>Undertstructure made up of frame with MS sheet of 0.9mm thick,tubular frame of round tube of Dia 25.4mm and 1.2mm thick, Modesty panel made up of 1mm thick sheet. storage made up of three drawers unit with 0.5mm thick CRCA MS sheet of overall., Rate quoted should be inclusive of all taxes/VAT.</p>	20	Each			
---	--	---	--	----	------	--	--	--

**Item Ref.No:'Item No. 7, Executive tab**

**Item Type:Item Rate**

**Page No:1**

<b>Sr No</b>	<b>Work Id</b>	<b>Config Id</b>	<b>Description</b>	<b>Quantity</b>	<b>UOM</b>	<b>Rate</b>	<b>Amount</b>	<b>Amount In Words</b>
--------------	----------------	------------------	--------------------	-----------------	------------	-------------	---------------	------------------------

1		-	'Item No. 7, Executive table, Full Specification of the item - Overall size 1345Wx760Dx735H (mm). Table top made up of 18mm thick prelaminated board with 2mm thick lapping on the edges. Understructure made up of square cube of size 30x30x1.6 (mm) thick. Side, front and back panel made up of 18mm prelaminated twin board. Table includes pedestal made up of prelaminated panel and MS sheet Overall size. 439Wx729Dx536H (mm), Rate quoted should be inclusive of all taxes/VAT.'	3	Each				
---	--	---	--	---	------	--	--	--	--

**Item Ref.No:'Item No. 8, Multiseater b**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	'Item No. 8, Multiseater bench, Full Specification of the item - Waiting three seater chair of size 760x790x1860mm, structure made out of MS chrome plated with arm & legs and perforated seat & back. Rate quoted should be inclusive of all taxes/VAT.'	40	Each			
---	--	---	---	----	------	--	--	--

**Item Ref.No:'Item No. 9, Revolving sto**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 9, Revolving stool, Full Specification of the item - Steel revolving type stool chromium plated/powder coated steel top of 15' diameter around pipe of 18 g with support base adjustable type height 483mm(19'), Rate quoted should be inclusive of all taxes/VAT.'	20	Each			

**Item Ref.No:Item No. 10, Racks, Full S**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------



1		-	Item No. 10, Racks, Full Specification of the item - Closed type shelving rack made out of angel 40x40x2mm shelves0.8mm gussets of 1mm thickness size 36'x18' three side cover with five compartments , Rate quoted should be inclusive of all taxes/VAT.	20	Each			
---	--	---	---	----	------	--	--	--

**Item Ref.No:Item No. 11, Computer tabl**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	Item No. 11, Computer table, Full Specification of the item - Computer table top made of 18mm thick prelaminate particle board duly edge banded having sliding keyboard running over sliding channel, one box for ups proper locking arrangement & other side 3 drawer unit 48'x24'x30' with wheel arrangement, Rate quoted should be inclusive of all taxes/VAT.	4	Each			

**Item Ref.No:Item No. 12, Lockers(8 cu**

**Item Type:Item Rate**

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	Item No. 12, Lockers(86 cubes), Full Specification of the item - personal locker body made of 22 gauge and door made of 20 gauge provided with 6 lever lock, size 455x455x430(mm), Rate quoted should be inclusive of all taxes/VAT.'		Each			

Item Ref.No:Item No. 13, Patient exami

Item Type:Item Rate

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	Item No. 13, Patient examination Table, Full Specification of the item - Patient examination table made out of 30mm round pipe powder coated and 40mm cushion with rexine cover., Rate quoted should be inclusive of all taxes/VAT.	10	Each			

Item Ref.No:Item No. 14, Palletes for

Item Type:Item Rate

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	Item No. 14, Palletes for store , Full Specification of the item - Size 3ftx2ft made up of Moulded plastic, Rate quoted should be inclusive of all taxes/VAT.'	50	Each			
---	--	---	--	----	------	--	--	--

**Item Ref.No:Item No. 15, Steel ladder,**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	Item No. 15, Steel ladder, Full Specification of the item - Aluminium ladder of 6ft (H) with collapsible two legs with five steps each and top soild platform of size 1.5ftx1.5ft , Rate quoted should be inclusive of all taxes/VAT.	1	Each			

**Item Ref.No:'Item No. 16, Footstep, Fu**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 16, Footstep, Full Specification of the item - Patient footstep made out of powder coiated angle frame with two steps, Rate quoted should be inclusive of all taxes/VAT.'	10	Each			

**Item Ref.No:'Item No. 17, Patients scr**

**Item Type:Item Rate**

**Page No:1**

<b>Sr No</b>	<b>Work Id</b>	<b>Config Id</b>	<b>Description</b>	<b>Quantity</b>	<b>UOM</b>	<b>Rate</b>	<b>Amount</b>	<b>Amount In Words</b>
1		-	'Item No. 17, Patients screen with curtains, Full Specification of the item - Patient curtain screen folder 25mm round pipe powder coated with plastic caster and good quality fabric use in curtains, Rate quoted should be inclusive of all taxes/VAT.'	10	Each			

**Item Ref.No:Item No. 18, Stretcher(sid**

**Item Type:Item Rate**

**Page No:1**

<b>Sr No</b>	<b>Work Id</b>	<b>Config Id</b>	<b>Description</b>	<b>Quantity</b>	<b>UOM</b>	<b>Rate</b>	<b>Amount</b>	<b>Amount In Words</b>
1		-	Item No. 18, Stretcher (side adjustable), Full Specification of the item - Pipe frame covered with thick metal sheet with handles on both sides,size6ftx3ft long, Rate quoted should be inclusive of all taxes/VAT.	2	Each			

**Item Ref.No:Item No. 19, Wheel chair,**

**Item Type:Item Rate**

**Page No:1**

Tender No: 14511

36 Of 40

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	Item No. 19, Wheel chair, Full Specification of the item - Wheel chair made up of frame 30mm of round pipe ss with two small wheels in front legs side and two main big wheel folding systems with brakers made out of steel and cushioned sheet., Rate quoted should be inclusive of all taxes/VAT.	2	Each			

Item Ref.No:'Item No. 20, Book shelf,

Item Type:Item Rate

Page No:1

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	'Item No. 20, Book shelf, Full Specification of the item - Overall size 914mm (W) x320mm (D) x1742mm(H) rigid construction with prime quality steel- Top,back and side are made from minimum 0.7mm thick metal sheet. Rest in minimum 0.8 mm metal sheet. Configuration (Doors): 4 door features/Locking: Each door has 6 lever cam lock with common key. Each door has 6 lever inside vision secured in a metal Frame through rubber gasket each compartment has stroage shelf-Top Panel:4 Door has inside Metal., Rate quoted should be inclusive of all taxes/VAT.'	2	Each			
---	--	---	--	---	------	--	--	--

**Item Ref.No:'Item No. 21, Trolley, Ful**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	'Item No. 21, Trolley, Full Specification of the item - Patient stretcher trolley made out of 30mm round pipe powder coated with 20mm two supporting round pipe and rubber caster and aluminium seat with round pipe stretch, Rate quoted should be inclusive of all taxes/VAT.'	3	Each			
---	--	---	--	---	------	--	--	--

**Item Ref.No:'Item No. 22, Injection tr**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 22, Injection trolley, Full Specification of the item - Powder coated 2ft (W)x3ft long with four wheels and two drawers with ss top, Rate quoted should be inclusive of all taxes/VAT.'	3	Each			

**Item Ref.No:'Item No. 23, Patient bed(**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
-------	---------	-----------	-------------	----------	-----	------	--------	-----------------

1		-	'Item No. 23, Patient bed , Full Specification of the item - Fowler bed 6x3 long with powder coated with electric leaf from head side with side railing., Rate quoted should be inclusive of all taxes/VAT.'	4	Each			
---	--	---	--	---	------	--	--	--

**Item Ref.No:'Item No. 24, Filing drawe**

**Item Type:Item Rate**

**Page No:1**

Sr No	Work Id	Config Id	Description	Quantity	UOM	Rate	Amount	Amount In Words
1		-	'Item No. 24, Filing drawer/cabinet, Full Specification of the item - Filling cabinet made out of steel filling cabinet with plastic handle back,top, bottom covered with 1.8mm thick metal sheet lock mechanism shall be of 1.6 size 3 drawer normal finish size 108x470x700mm, Rate quoted should be inclusive of all taxes/VAT.'	5	Each			